


COMPOSTABLE TEA BAG PAPER

Grade <i>Qualitat</i>	COMPOFILT 165 HS	Code <i>Codi</i>	39.231
Substance <i>Gramatge</i>	g/m ²	16,5 ± 1,0	ISO 536
Thickness <i>Gruix</i>	µm	> 50	ISO 534
Tensile Strength MD <i>Resistència Tracció SL</i>	N/15mm	> 8,5	ISO 1924/2
Tensile Strength CD <i>Resistència Tracció ST</i>	N/15mm	> 2,5	ISO 1924/2
Wet Tensile Strength CD <i>Resistència Tracció Humit ST</i>	N/15mm	> 0,8	ISO 3781
Sealing Strength MD <i>Resistència al termosegellat SL</i>	N/15mm	> 1,2	Internal Method <i>Mètode intern</i>
Air Permeability <i>Permeabilitat a l'aire</i>	l/sm ²	> 900	ISO 9237
Moisture <i>Humitat</i>	%	> 5,5	ISO 287

Test Conditions: Temperature, 23°C; Humidity, 50%
Condicions d'anàlisi: Temperatura, 23°C; Humitat, 50%

UNE-EN 13432:2000 Envases y embalajes. Requisitos de los envases y embalajes valorizables mediante compostaje y biodegradación.



FOOD CONTACT LEGISLATION APPLICABLE / Legislació aplicable per contacte amb aliments:

United States FDA 21 CFR 176.170 "Components of paper and paper board in contact with aqueous and fatty food" and FDA 21 CFR 176.180 "Components of paper and paper board in contact with dry food".

Europe European Parliament and of the Council EC No. 1935/2004 on materials and articles intended to come into contact with food, EC No 10/2011 on plastic materials and articles intended to come into contact with food.

Germany Lebensmittel-, Bedarfsgegenstände- und Futtermittelgesetz, section 30 & 31, recommendation of the German Federal Institute for Risk Assessment (BfR) XXXVI/1 for cooking papers, hot filter papers and filter layers.

Spain Real Decreto 191/2011, de 18 de febrero, sobre Registro General Sanitario de Empresas Alimentarias y Alimentos.

The information provided in this document is only a guide. They don't represent a guarantee and can not be used for any claim. The user is responsible for the product that responds to his needs. This data can be modified if Terranova Papers, SA considered appropriate.

Contact us:

www.terrnovapapers.com
info@terrnovapapers.com
+34 938.017.100